



leebrothers.co.uk
0121 567 4111
sales@leebrothers.co.uk



Women's Range 2022



ABOUT US

WHO ARE LEE BROTHERS?



Our team are experienced and dedicated professionals who are suitably qualified to cater for the individual needs of our customers. We build strong relationships and always go the extra mile.

We have a vast variety of departments at Lee Brothers including: Warehouse, Sales, Marketing, Branding, Accounts and Admin.

CONTACT

sales@leebrothers.co.uk

telephone: 0121 567 4111

 *The* ANSWER *IS* **YES...**
WHAT IS THE
QUESTION? 

LEE BROTHERS specialise in the supply of site consumables and welfare materials which include; Janitorial Products, PPE, Workwear, Hand Tools, Contractors Equipment, Electrical/White Goods, Traffic Management, First Aid, Health and Safety Equipment, Signage & Stationery.

We have a wealth of experience and collaborate with our suppliers and manufacturers to supply a vast array of customers including construction, public services, utility companies and local authorities.

In 2014 Lee Brothers were acquired by the Bunzl Plc Group, who operate in many varied markets across the globe. Now part of a Multi-National organisation, we still carry our same core values. We have a true family and team ethos, working together to provide the best possible customer service and site support.

We have one distribution hub located centrally in the West Midlands. The control of our stock is superb, ensuring next day, nationwide, delivery. We also source special/bespoke items on request, taking the pain out of procurement for you.

We are committed to quality, sustainability and the environment. We are certified to ISO:9001, ISO:14001 and OHSAS:18001.

SERVICES

ORDERS

No minimum order quantity or value. Orders can be made via telephone, email, fax or by visiting our trade counter. Online ordering is also available on our website: Leebrothers.co.uk.

DELIVERIES

We offer free of charge, next day, nationwide, delivery (Monday to Friday) for all orders placed before 4.30pm on all stocked items.

TRAINING & ADDITIONAL SUPPORT

Our External Field Sales Team have strong working relationships with leading manufacturers. Should you require additional technical advice, training or educational safety days, our team can offer tailored site training and tool box talks. We undertake regular site visits in order to develop relationships and assist with any orders or enquiries.

EXPERIENCE

Lee Brothers first opened its doors in 1898 and have many years of experience in supplying a diverse customer base. We have supplied various tailored solutions to maintain & develop contracts with leading construction companies.

CONTENTS

001

Safety Footwear

006

Hand Protection

013

High-Visiblity Clothing, Maternity Wear & Workwear

020

Eye Protection



NATIONWIDE
FREE OF CHARGE
NEXT DAY DELIVERY

APPLICABLE MONDAY TO FRIDAY BEFORE 4:30PM - WITH NO MINIMUM VALUE OR QUANTITY

Vixen Emerald Safety Boots Black

- EN ISO 20345:2011 S3 SRC
- Protective steel toecap & Composite anti-penetration flexi-midsole
- Full grain black leather
- Dual density PU outsole
- Fully safety compliant and will protect against light showers



Sizes: 2 – 8

6 5 0 5 4 5

Vixen Onyx Waterproof Safety Boots Honey

- EN ISO 20345:2011 S3 HI WR HRO SRC
- Protective fibreglass toecap and composite anti-penetration flexi-midsole
- Genuine honey nubuck
- Waterproof and breathable Activ-Tex® membrane
- Solid rubber outsole



Sizes: 3 – 8

6 5 0 5 3 9

Vixen Onyx Waterproof Safety Boots Black

- EN ISO 20345:2011 S3 HI WR HRO SRC
- Protective fibreglass toecap and composite anti-penetration flexi-midsole
- Genuine full grain waxy smooth leather
- Waterproof and breathable Activ-Tex® membrane
- Solid rubber outsole



Sizes: 3 – 8

7 3 1 1 0 7

Vixen Amber Safety Shoes Black

- EN ISO 20345:2011 S3 SRC
- Protective steel toecap and composite anti-penetration flexi-midsole
- Full grain black leather
- Dual density PU outsole
- Fully safety compliant and will protect against light showers



Sizes: 2 – 8

6 5 0 5 3 6

Vixen Pearl ESD Safety Trainers

- EN ISO 20345:2011 S1P ESD SRA + EN 61340-5-1:2007
- Protective fibreglass toecap and composite anti-penetration flexi-midsole
- Navy suede leather
- Rubber/EVA shock absorbing outsole
- Soft padded tongue and collar



Sizes: 3 – 8

6 5 0 5 3 8

Titanium Waterproof Boot Metal Free Black

- EN ISO 20345:2011 S3 HI CI WR HRO SRC
- Protective fibreglass toecap and composite anti-penetration flexi-midsole
- FORCE10® components including scuff cap and outsole used for incredible durability
- Waterproof and breathable Activ-Tex® membrane



Sizes: 3 – 14

6 5 0 5 3 4

Slate Non Metallic Toecap/Midsole Boot Black

- EN ISO 20345:2011 S3 HRO WR SRC
- Outsole FORCE10® scuff cap and dual density PU nitrile rubber outsole
- Tested to extraordinary abrasion, heat and cold performance levels
- Activ-Step® dual footbed



Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

Sizes: 3 - 15

6 9 2 8 7 6

Texas Waterproof Rigger Boots Brown

- EN ISO 20345:2011 S3 HI CI WR HRO SRC
- Protective fibreglass toecap and composite anti-penetration flexi-midsole
- Oil tanned brown crazy horse leather
- FORCE10® scuff cap that is almost impossible to wear through
- FORCE10® solid nitrile rubber outsole constructed for extreme durability



Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

Sizes: 3 - 14

7 3 0 5 1 4

Ruby Ladies Safety Chelsea Boot Brown

- EN ISO 20345:2011 S3 HRO SRC
- 100% non-metallic, with protective toecap and midsole, Ruby is comfortable and lightweight. The Rock Fall womens range is made on a womens shoe mould making it more slender and better fitting



Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

Sizes: 3 - 8

7 3 0 5 1 4

Utah Chukka Boot Steel Midsole Black

- EN ISO 20345:2011 S3 SRC
- Upper Water repellent buffalo black leather
- Protective steel toecap and stainless steel anti-penetration midsole
- Moisture wicking breathable mesh fabric lining Outsole Shock absorbing dual density PU outsole
- Anti-fatigue EVA footbed



Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

Sizes: 2 - 14

6 5 9 0 6 1

Omaha Basic Lace Up Shoe Black

- Upper Water repellent buffalo black leather
- Protective steel toecap and stainless steel anti-penetration midsole
- Moisture wicking breathable mesh fabric lining
- Shock absorbing dual density PU
- Footbed Anti-fatigue EVA footbed



Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

Sizes: 3 - 13

6 8 8 6 3 7

Chicago Rigger Boot Fur Lined Tan

- EN ISO 20345:2011 S3 SRC
- Protective toecap and midsole
- Activ-Step® shock absorbing dual density PU outsole and Activ-Step®
- PU anti-fatigue comfort footbed



Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

Sizes: 3 - 16

6 5 9 1 5 7

Topaz Ladies Slip On Shoe Black

- EN ISO 20345:2011 S3 SRC
- Upper Polishable water repellent full grain black leather
- Protective steel toecap and composite anti-penetration flexi-midsole
- Moisture wicking breathable mesh fabric lining
- Womens fitting shock absorbing dual density PU outsole
Anti-fatigue EVA footbed



Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

Sizes: 2 – 8

6 5 0 5 3 7

Bridgeport Trainer

- EN ISO 20345:2011 S3 SRC
- Water repellent smooth black nubuck
- Protective fibreglass toecap
- Composite anti-penetration flexi-midsole
- Shock absorbing dual density PU outsole
- Anti-fatigue EVA footbed



Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

Sizes: 3 – 15

6 5 9 2 3 9

Surge Electrical Boot Black

- SB CI E FO WRU HRO WR SRC
- Upper Water repellent full grain black leather
- Activ-Tex® waterproof and breathable bootie membrane
- Activ-Step® PU anti-fatigue comfort footbed
- Composite anti-penetration flexi-midsole
- Protective fibreglass toecap



Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

Sizes: 3 – 16

4 9 4 5 0 3

Alaska Safety Boot Black

- EN ISO 20345:2011 S3 HI
CI-40°C HRO SRC
- Protective fibreglass
toecap and composite anti-
penetration flexi-midsole
- Premium black full grain
anti cracking waxy smooth
leather
- 3M Thinsulate® B600 Ultra
and Fursulate Fur Lining,
Certified to -40°C
- Nitrile rubber, slip resistant
outsole



Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

Sizes: 3 – 14

6 5 1 0 6 5

Washington Safety Wellies Black

- EN ISO 20345:2011 S5 SRC
- Protective toecap and midsole,
Washington is developed with
premium materials including a
unique split and crack resistant
PVC and shock absorbing virgin
PVC outsole



Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

Sizes: 3 – 13

4 5 1 6 4 8

Puma IGS Nubuck Derby Boot Honey

- S3 HRO SRC
- Anti static
- Composite toe cap
- Heat resistant
- Composite midsole
- Metal free



V12

Sizes: 3 - 13

4 9 4 5 0 3

Bison IGS Black Derby Boot Black

- S3 HRO SRC
- Anti static
- Composite toe cap
- Heat resistant
- Composite midsole
- Metal free



Sizes: 3 - 13

4 9 4 5 0 1

IGS Thunder Black Waterproof Boot

- EN ISO 20345:2011 S3 HRO SRC
- Anti static boot with composite toe cap and composite midsole
- The boot is heat resistant yet waterproof breathable
- It is slip resistant as well as Kennedy grate slip tested and Scaffold board slip tested



V12

Sizes: 3 - 13

4 5 1 6 1 5

Otter Derby Boot Metal Free Black

- EN ISO 20345:2011 S3 SRC
- Anti static
- Composite toe cap
- Slip resistance
- Composite midsole
- Metal free
- Lightweight boot



V12

Sizes: 3 - 12

4 5 1 6 2 8

Oxen STS Black Derby Metal Free Shoe

- EN ISO 20345:2011 S3 SRC
- Anti static & metal free
- Composite toe cap
- Composite midsole
- Slip resistance
- Dual shock absorbing foot bed



V12

Sizes: 3 - 13

4 9 2 8 0 8

Tiger Derby Shoe Black

- EN ISO 20345:2011 S3 HRO SRC
- Anti static
- Composite toe cap
- Heat & slip resistant
- Steel midsole
- Full grain cowhide leather



V12

Sizes: 3 - 13

4 5 5 8 1 5

Tiger Derby Shoe Black

- EN ISO 20345:2011 S3 HRO SRC
- Anti static
- Composite toe cap
- Heat & slip resistant
- Steel midsole
- Full grain cowhide leather


V12

Sizes: 3 - 13

4 5 5 8 1 5

Classic Buffalo Chukka Boot Black

- EN ISO 20345:2011 S1P SRC
- 4 D-ring boot with dual density PU
- 200 joule steel toe cap and steel midsole protection
- Anti-static
- Oil resistant sole
- Slip resistant sole
- Leather upper


TUF pro

Sizes: 2 - 13

4 5 1 5 9 0

Tuf Pro Gravel Waxy Ankle Boot Black

- S3 SRC 102625
- Water repellent
- Heat resistant & breathable
- Padded collar
- Anti-static


TUF pro

Sizes: 3 - 13

6 8 8 6 3 9

Boot Laces Black

- Strong and durable boot laces
- Easily thread into boots



One Size

4 5 1 6 1 2

Quadra Boot Bag Black/Graphite Grey

- 28Ltr
- Dimensions: 47 x 36 x 25cm
- Name card holder
- Webbing carry handle
- Internal baseboard
- Protective base feet



One Size

4 5 9 9 0 7

UNDERSTANDING Glove Standards

A short guide to help you choose the right glove for the right job.

STANDARD EN388:2003

Covers the test requirements for safety gloves that are provided to protect against mechanical risks.



A	B	C	D
Abrasion Resistance	Blade Cut Resistance	Tear Resistance	Puncture Resistance
Based on the number of cycles required to abrade through the sample given	Based on the number of cycles required to cut through the sample at a constant speed	Based on the amount of force required to tear the sample given	Based on the amount of force required to pierce the sample with a standard-sized point
CYCLES	FACTOR	NEWTON	NEWTON
RATING	RATING	RATING	RATING
8000	20.0	75	150
2000	10.0	50	100
500	5.0	25	60
100	2.5	10	20
<100	1.2	<10	<20
4	5	4	4
3	4	3	3
2	3	2	2
1	2	1	1
0	1	0	0
	0		

STANDARD EN388:2016

Covers the test requirements for safety gloves that are provided to protect against mechanical risks, which covers abrasion, blade cut, puncture, tearing and impact.

It includes all of the above with the additions of 'E' & 'F'

(This revised version of the EN 388 standard was released in November 2016)

The EN 388:2016 standard uses a new type of abrasive paper compared to the EN 388:2003 standard. Due to this change, some abrasion levels of protective gloves may change when tested to the new standard.

Designed to keep pace with the development of cut resistant fibres, EN 388:2016 addresses flaws in the EN 388:2003 cut test methodology.

E	F
Straight Blade Cut Resistance	Impact Resistance
Using the ISO 13997 testing method. Based on the average load to achieve a cut using a straight blade	An optional test based on the mean transmitted force.
Testing is carried out in accordance with EN13594:2015 6.9 Protective gloves for Motorcycle Riders.	
If a glove meets this requirement, a 'P' is added as the last digit to the glove marking	
NEWTON	NEWTON
RATING	RATING
>30	F
>22	E
>15	D
>10	C
>5	B
>2	A

DIRECTIVE 2002/72

Governs the conditions and restrictions that all plastic materials and objects must comply with if they are intended to come into contact with foods.



UNDERSTANDING Glove Symbols

Materials that come into contact with food must not contaminate food with hazardous substances. The Regulation 1935/2004/EC governs the requirements for traceability and identification throughout the production chain. The products shall also be marked with the glass/fork symbol.

The gloves shall be manufactured in accordance with Commission Regulation (EC) 2003/2006 on Good Manufacturing Practice (GMP) which imposes requirements on the manufacturer's quality assurance system for articles intended to come into contact with food.

Protective gloves with glass/fork symbol meet the above requirements and can be used in contact with food. What kind of food they are adapted for is stated in the user instruction that accompany the glove.

STANDARD EN374:2003

This standard specifies the capability of gloves to protect the user against chemicals and / or micro-organisms.



Penetration

The movement of a chemical and/or micro-organism through porous materials, seam, pinholes or other imperfections in a protective glove material at a non-molecular level.

Permeation

The rubber and plastic films in gloves do not always act as barriers to liquids. Sometimes they can act as sponges, soaking up the liquids and holding them against the skin. It is therefore necessary to measure break-through times, or the time taken for the hazardous liquid to come in contact with the skin.

Requirements

- The minimum liquid proof section of the glove shall be at least equal to the minimum length of the glove specified in EN 420.
- A glove shall not leak when tested to an air and/or water leak test, and shall be tested and inspected in compliance with the Acceptable Quality Level.

STANDARD EN511:2006

Governs the conditions and restrictions that all plastic materials and objects must comply with if they are intended to come into contact with foods.



In cold environments it is extra important to protect the hands from cold burns. This standard measure how well the glove can withstand both convective cold and contact cold. In addition, water permeation is tested after 30 minutes.

- The first figure shows how well the glove protects against convective cold (performance level 0-4)
- The second figure shows how well the glove protects against contact cold (performance level 0-4)
- The third figure shows the glove protection against water penetration (performance 0 or 1 where 0 indicates "water penetration after 30 minutes" & 1 indicates "no water penetration after 30 minutes")

Globus® Hand Sizing Chart

The way a glove fits is a crucial factor in the dexterity of the working hand. Please use the diagram below to identify your glove size.

If the glove is too small, it cuts off the blood circulation and restricts the movement of the hand.

On the contrary, too big gloves slip off at the slightest movement and make your handling very imprecise.

Glove size further to EN420	Hand (mm)		Glove
	Palm circumference	Length	Minimum Length
6	152	160	220
7	178	170	230
8	203	182	240
9	229	192	250
10	254	204	260
11	279	215	270

To check the size

Place your right hand on the diagram, the blue line should be between your thumb and index finger.



Showa 306 Breathable Fully Coated Latex (2121X) Cut 1

- Full foam latex coating coupled with an additional latex grip coating to the palm and fingertips
- Seamless 13 gauge Nylon/polyester knitted liner
- Water repellent
- Breathable coating technology
- Long lasting grip performance in wet and dry conditions
- Aerated foam latex provides cushioning from minor impacts
- Soft, comfortable fit
- Anatomical hand shape design helps prevent hand fatigue

Sizes: S - 2XL

6 5 9 0 7 8



Skytec Argon Thermal Hpt 3/4 Coated (3231X) Cut 2

- Durable glove that remains flexible to temperatures as low as -50°C
- Encapsulated air molecules provide an inherent cushioning effect
- Secure grip in wet and dry environments
- Enhanced protection to palm, fingers and knuckles
- Excellent dexterity, flexibility and durability
- Silicone free

Sizes: S - XL

6 5 2 3 1 3



Skytec Basalt R Pu Palm Coated Glove (4131X) Cut 1

- Abrasion and tear resistant, with a secure grip
- Comfortable with an anatomical shaped fit, allowing excellent freedom of movement and reduction of hand fatigue
- Recommended for precise operations requiring maximum dexterity
- Ideal for detailed assembly, light fabrication and small parts handling

Sizes: XS - 2XL

4 5 3 0 7 7



Skytec Rhyolite Pu Palm Coated Grey (4131X) Cut 1

- Ideal for precision tasks requiring dexterity and flexibility
- Comfortable with anatomical shaped fit, allowing excellent freedom of movement and reduction of hand fatigue
- Abrasion and tear resistant, with a secure grip
- Ideal for detailed assembly, light fabrication and small parts handling

Sizes: XS - 2XL

6 5 2 3 1 4



Skytec Rhyolite Pu Palm Coated Grey (4131X) Cut 1

- Ideal for precision tasks requiring dexterity and flexibility
- Comfortable with anatomical shaped fit, allowing
- excellent freedom of movement and reduction of hand fatigue
- Abrasion and tear resistant, with a secure grip
- Ideal for detailed assembly, light fabrication and small parts handling

Sizes: XS – 2XL

6 5 2 3 1 4



Showa Chem Master Neoprene Gauntlet Gloves

- Resistant to a broad range of chemicals
- Impermeable for working in damp or greasy environments
- Self-flushing tractor-tread grip encourages fluids to run-off
- Cuff prevents dirt from entering the glove
- Surface provides good grip and wet substances can be repelled
- Blue colour spotted when the coating is damaged
- Packaging that helps finding the right model in displays
- Wrist well protected
- Thickness: 0.66mm

Sizes: S – XL

6 5 2 3 1 4



Skytec Maxicut Ultra Glove Palm Coated (4542C) Cut 5C

- Cut level 5C glove with the feel of an assembly glove Durable glove with high-level cut resistance
- 360° Breathable Reinforced thumb crotch for extended life
- Thin construction for greater dexterity

Sizes: XS – 2XL

7 3 2 0 9 3



Skytec Ultimus Lite Nitrile Sponge Palm Coated (4X43b) Cut B

- Level 5 cut resistance (EN388)
- Excellent grip in damp, oily and dry conditions
- High levels of flexibility and dexterity
- Advanced sponge nitrile coating
- Lightweight 13 gauge liner and enhanced protective padding
- Reinforced thumb-line enhances durability
- Breathable liner keeps hand cool and helps to reduce perspiration
- Elasticated wrist provides a secure fit
- Seamless liner prevents irritation

Sizes: S – 2XL

6 5 1 2 8 6



Showa S-Tex 376 3/4 Nitrile Coated Oil Resis Glove (Cut 4)

- A strong cut level 4 glove that has ¾ coated nitrile with an additional coating of foam nitrile on the palm and fingertips
- Nitrile foam palm for superb grip in oily & dry conditions



Sizes: S - XL

6 5 2 2 1 1

Skytec Ultimus Lite Nitrile Sponge Palm Coated (4X43b) Cut B

- Level 5 cut resistance (EN388)
- Excellent grip in damp, oily and dry conditions
- High levels of flexibility and dexterity
- Advanced sponge nitrile coating
- Lightweight 13 gauge liner and enhanced protective padding
- Reinforced thumb-line enhances durability
- Breathable liner keeps hand cool and helps to reduce perspiration
- Elasticated wrist provides a secure fit
- Seamless liner prevents irritation



Sizes: S - 2XL

6 5 1 2 8 6

Juba Econit Nitrile Foam Glove Red/Black

- Red Liner with Black Nitrile foam palm coating
- The nitrile foam is designed to channel oils and liquids away from the surface to give excellent grip in wet and oily conditions
- Excellent dry grip
- 15 gauge Nylon and Lycra liner for maximum ergonomomy
- Excellent resistance to abrasion



Sizes: 7 - 11

6 5 9 0 9 6

Glove Keepsafe PU Palm Coated Grey

- Polyurethane coating on the palm & finger tips gives even greater productivity.



Sizes: 6 - 11

6 9 0 2 0 2

Traffiglove TG1010 / TG1210 Classic 1 (4131A) Cut A

- A close fitting flexible and comfortable glove offering excellent dexterity
- Durable PU coating
- For use in dry condition

Sizes: 6 - 11

6 5 8 0 0 9



Polyflex Peth Eco Thermal Recycled Gloves (2321X)

- Environmentally Conscious: Each pair of gloves contains 24gr of recycled plastic bottles (PET), cutting down our reliance on virgin materials like oil based polyester
- Soft knitted thermal lining keep hands exceptionally warm
- The sandy latex coating has been specifically developed to resist abrasion, whilst maintaining superior grip and dexterity
- Engineered to score a cut 3 against EN388 2016 Knit
- Elasticated Knit wrist ensures a secure fit and keeps hands free from dust and debris Hot and Cold Contact: Polyflex® Eco Therm has been engineered to protect against handling hot and cold objects

Sizes: 7 - 11

6 8 9 8 8 5



Polyflex Pel Eco Gloves Recycled Nitrile Palm Coated (4121X)

- Polyflex Eco N - Seamless knitted liner made in part from recycled plastics, with a foamed nitrile coating
- Environmentally Conscious: Each pair of gloves contains 10 grams of recycled plastic bottles (PET), cutting down our reliance on virgin materials like oil based polyester.



Sizes: 5 - 12

3 3 4 1 4 5



Polyflex Pel Eco Gloves Recycled Latex Palm Coated (2131X)

- Polyflex Eco L - Seamless knitted liner made in part from recycled plastics, with a sandy latex coating
- Environmentally Conscious: Each pair of gloves contains 10 grams of recycled plastic bottles (PET), cutting down our reliance on virgin materials like oil based polyester.



Sizes: 5 - 12

3 3 4 1 4 6



UNDERSTANDING Clothing

A short guide to help you choose the right clothes for the right job

HIGH VISIBILITY CLOTHING

EN471 & EN ISO 20471

These standards are applicable when choosing high visibility clothing. These relate to the amount of reflective and high visibility material on the garment. They will also show the class that they relate to.

CLASS 1

Lowest Level: Typically consist of lower body or partially fluorescent garments

CLASS 2

Mid Level: Typically consists of short or no sleeve garments and some trousers

CLASS 3

Highest Level: Typically consists of upper body & full sleeved garments

GO/RT 3279

This is the rail group standard minimum requirement for high visibility clothing that is worn by people on the lineside or near the line

WORKWEAR CLOTHING

EN343 - Rain Protection & Waterproof Properties

This conformity standard relates to waterproof properties and breathability to three classes:

CLASS 3:1

Level 3 to water penetration; level 1 water vapour resistance (breathability)

CLASS 3:2

Level 3 to water penetration; level 2 water vapour resistance (breathability)

CLASS 3:3

Level 3 to water penetration; level 3 water vapour resistance (breathability)

OTHER CLOTHING CONFORMITIES

EN531 - Protection Against Heat & Flame

This conformity often has a letter after it which relates to the following:

A Limited flame spread (Fabric conforms to EN533 Index 3)

B (LB1-B5) - Insulation against convective heat

C (C1-C5) - Insulation against radiant heat

D (D1-D3) - Insulation against molten aluminium

E ((E1-E3) - Insulation against molten cast iron

EN533 - Protection Against Limited Flame Spread
EN1149-5 - Electrostatic Protection
EN ISO 11612- Heat & Flame Protection
EN467 - Liquid Chemical Protection
EN ISO 11611- EN ISO 11612- Heat & Flame Protection
EN381 - Chainsaw Protection
EN510 - Entanglement Protection (moving parts)

*Disclaimer: Please note these are guidelines to help you pick the right product for you. For more information check the HSE/Manufacturers website.

Women's Vest

- ID pocket with D ring
- Multi-Functional storage
- Purple trim
- Zip fastener
- EN ISO 20471 Class 1



Sizes: 8 - 26

4 9 2 9 7 8

Women's GO/RT Vest

- ID pocket with D ring
- Multi-Functional storage
- Purple trim
- Zip fastener
- EN ISO 20471 Class 1



Sizes: 8 - 26

4 9 2 9 7 9

Women's Long Sleeved Ves

- Scooped sides allowing pocket access
- 2 front bellowed multi-functional pockets
- Zip front & purple trim
- EN ISO 20471 Class 2



Sizes: 8 - 26

4 9 4 4 9 9

Women's Long Sleeved Vest GO/RT

- Scooped sides allowing pocket access
- 2 front bellowed multi-functional pockets
- Zip front & purple trim
- EN ISO 20471 Class 2



Sizes: 8 - 26

4 9 4 5 0 0

Women's Polo Shirt

- Mesh ventilated under arms & side seams
- 3 button placket
- Split hem design
- EN ISO 20471 Class 2



Sizes: 8 - 26

4 9 4 5 6 1

Women's Polo Shirt GO/f

- Mesh ventilated under arms & side seams
- 3 button placket
- Split hem design
- EN ISO 20471 Class 2



Sizes: 8 - 24

6 5 1 9 5 0

Women's Long Sleeved Polo Shirt

- Mesh ventilated under arms & side seams
- 3 button placket
- Split hem design
- EN ISO 20471 Class 2



Sizes: 8 - 26

4 9 4 5 0 4

Women's Long Sleeved Polo Shirt GO/RT

- Mesh ventilated under arms & side seams
- 3 button placket
- Split hem design
- EN ISO 20471 Class 2



Sizes: 8 - 26

6 5 2 6 1 8

Women's Softshell Jacket

- Shock-cord hem adjuster
- 2 internal drop pockets
- 100% stretch polyester
- twill, 3 layer, with internal micro fleece
- EN ISO 20471 Class 2



Sizes: 8 - 26

4 9 4 5 5 9

Women's Softshell Jacket GO/RT

- Shock-cord hem adjuster
- 2 internal drop pockets
- 100% stretch polyester
- twill, 3 layer, with internal micro fleece
- EN ISO 20471 Class 2



Sizes: 8 - 26

4 9 4 5 0 0

Women's Traffic Jacket Yellow

- Polyester mesh lined body & sleeves
- Storm flap micro fleece lined collar
- Conforms to EN ISO 20471 Class 3 (XS Class 2)



Sizes: 6 - 26

6 5 1 8 5 2

Women's Traffic Jacket GO/RT

- Polyester mesh lined body & sleeves
- Storm flap micro fleece lined collar
- Conforms to EN ISO 20471 Class 3 (XS Class 2)



Sizes: 6 - 24

6 5 1 8 5 3

Women's Overtrousers

- EN 343 3:3
- 3M Scotchlite
- Breathable polyester
- Hook & loop ankle adjuster tabs
- EN ISO 20471 Class 2



Sizes: 8 - 26

6 5 1 8 5 4

Women's Overtrousers GO/RT

- EN 343 3:3
- 3M Scotchlite
- Breathable polyester
- Hook & loop ankle adjuster tabs
- EN ISO 20471 Class 2



Sizes: 8 - 26

6 5 1 8 5 6

Women's Combat Trousers

- Back pockets & internal knee pad pockets
- Side waist elastic
- 280g poly/cotton
- Water & stain repellent
- EN ISO 20471 Class 2



Sizes: 8 - 26

4 9 4 5 6 3

Women's Combat Trousers GO/RT

- Back pockets & internal knee pad pockets
- Side waist elastic
- 280g poly/cotton
- Water & stain repellent
- EN ISO 20471 Class 2



Sizes: 8 - 26

4 9 4 5 6 4

Condor Women's Combat Kneepad Trousers

- Internal kneepad pocket
- Slight elasticsation at sides of waistband - very comfortable to wear
- Multiple pockets with extra strong lining including 2 front & 2 rear pockets
- Combat style leg pockets, mobile phone pocket on thigh
- Heavy duty non-scratch fixing stud on waistband
- Triple stitched on main seams for ultimate strength
- Sizes: 6 - 24

Navy	Regular Leg	4 9 6 3 3 4
	Long Leg	4 9 6 3 3 5
Black	Regular Leg	4 9 6 3 3 6
	Long Leg	4 9 6 3 3 7



Women's Lily Long Sleeve Modesty Tunic Orange

- ISO 20471 Class 3
- Inherently anti-microbial for protection against the build up of bacteria and odour
- Hydrophobic fabric draws moisture to the outer where it is evaporated
- Elastic button loop at neck for ease of putting on and taking off
- UV protection to UPF 40+Soft handle fabric prevents irritation
- Segmented reflective tape for garment stretch and improved breathability
- Tested to 50 wash cycles



Sizes: 8 - 16

3 3 4 2 5 7

Women's Maternity Long Sleeve Polo

- ISO 20471 Class 2
- Elasticated side seams
- Segmented reflective tape
- Split hem design
- Hi-Vis orange collar with contrast grey reverse, lining & neck tape
- 3 button placket with contrast grey lining & buttons
- Railway Group Standard RIS-3279-TOM
- Sizes S - 2XL



Yellow	3 3 4 2 5 5
Orange	3 3 4 2 5 4

Women's Maternity Short Sleeve Polo

- ISO 20471 Class 2
- Elasticated side seams
- Segmented reflective tape
- Split hem design
- Hi-Vis orange collar with contrast grey reverse, lining & neck tape
- 3 button placket with contrast grey lining & buttons
- Railway Group Standard RIS-3279-TOM
- Sizes S - 2XL



Yellow	3 3 4 2 5 3
Orange	3 3 4 2 5 2

Women's Maternity Trousers Verity


- ISO 20471 Class 2
- Elasticated over-bump band
- Hi-Vis Orange (RIS-3279-TOM)
- Side adjustment elastic
- Triple stitched main seams
- Cargo style leg pockets with grey
- Reflective piping
- Back patch pocket
- Railway Group Standard RIS-3279-TOM
- Sizes: S - 3XL



Yellow	3 3 4 2 5 1
Orange	3 3 4 2 5 0

Women's Polo Shirt

- 3 Self coloured button placket
- 50% Polyester 50% cotton
- Hemmed sleeve & bottom
- Knitted collar
- Reactive dyed
- Taped neck
- Sizes: XS - 2XL



Black	6 8 7 9 6 9
Charcoal	6 8 7 9 7 4
Grey	6 8 7 9 7 6
White	6 8 8 0 1 7
Red	6 8 8 0 1 1
Navy	6 8 8 0 0 4

Women's Short Sleeve Oxford Shirt

- Ladies short sleeve fitted blouse
- Inverted pleat in back for ease of movement
- Sizes: 8 - 20



White	6 8 9 6 6 7
Light Blue	4 9 1 7 4 7

Women's Long Sleeve Oxford Shirt

- Back yoke with two curved panels front and back
- Soft fused collar & 3 button cuffs with a spare button
- Ladies tailored fit
- Sizes: 8 - 20



White	6 8 9 6 6 6
Light Blue	4 9 1 7 3 8
Blue	4 9 1 7 3 9

Women's Sweatshirt

- 50% Polyester
50% Cotton
- Reactive Dyed
- Set in Sleeve
- Lycra Ribbed Cuffs, Welt & Neck
- Twin Needle Stitching at Neck, Shoulders, Armhole+
- Brushed Effect for Superior Comfort & Look
- Enzyme Washed



Black	7 3 0 6 0 0
Navy	7 3 0 6 0 1

Regatta Women's Uproar Interactive Softshell

- Warm backed woven stretch softshell fabric
- Durable water repellent finish
- Wind resistant with quick drying fabric and 2 zipped lower pockets
- Sizes: 6 - 20
- TRA645



Black	6 9 0 3 0 4
Seal Grey	6 9 3 2 0 9
Navy	6 9 0 7 6 9

Women's Octagon II Softshell Jacket - Black

- Warm backed woven Softshell XPT waterproof and breathable
- 3 Layer membrane fabric
- Wind resistant membrane fabric
- Atl durable water repellent finish
- Inner zip guard
- 2 zipped lower pockets and 1 zipped chest pocket
- Adjustable shockcord hem
- Shaped fit
- TRA689



Sizes: 6 - 24

4 9 7 8 5 5

Regatta Women's Kingsley 3 In 1 Softshell Black

- Part mesh
- Taped seams
- Stormflap
- Adjustable cuffs
- Softshell inner jacket
- TRA144



Sizes: 10 - 20

4 9 2 0 2 6

Regatta Women's Defender III Jacket Black/Grey

- 3 In 1 Jacket
- Concealed hood
- Stormflap with hook & loop
- Shockcord hem
- TRA132



Sizes: 10 - 20

4 9 2 0 2 4

Women's Honestly Made Recycled Softshell Jacket

- 100% Recycled polyester fabric
- Durable water repellent finish
- Wind resistant
- Super soft handle
- Quick drying
- Lightweight and easy to wear
- Inner zip guard
- 2 zipped lower and 1 zipped chest pocket
- Sizes: 10 - 20
- TRA616



Black

3 3 4 1 6 6

Royal Blue

4 7 8 3 8 9

Helly Hansen Women's Haag Jacket Black

- EN 343 3,3 Waterproof/Breathable
- 100% Polyester - 145 g/m²
- Fully taped construction with no shoulder seams
- Two way zipper & velcro closure
- Detachable hood & chin guard
- Chest pocket with water repellent zipper



Sizes: 8 - 20

4 9 2 1 1 3

Women's Softshell Bodywarmer

- Waterproof & windproof
- Warm backed woven stretch softshell fabric
- Quick drying fabric
- Shockcord hem
- Super soft handle



Sizes: 10 - 20

4 9 2 0 1 7

Regatta Women's Action Trousers - Regular Leg

- Multi pocketed with concealed zips
- 2 front large pockets with hem bellows
- 2 back pockets, one zip pocket with welt covering
- Right side zip pocket with welt covering
- Durable water repellent finish
- Sizes: 10 - 20
- TRJ334



Black

4 9 1 8 2 1

Navy

4 9 1 8 2 3

MODULARITY & EFFICIENCY

This advanced eye protection was specifically designed for healthcare professionals; its design combines ultimate protection and comfort to help reduce workplace accidents and slow the spread of viruses. Equipped with an anti-scratch and anti-fog coating on both sides of the lenses, RUSH+ ensures long-lasting comfort, performance and reliability.

- + CO-INJECTED, ULTRA-FLEX TEMPLES
- + NON-SLIP ADJUSTABLE BRIDGE
- + WASHABLE AND REUSABLE
- + PLATINUM COATING : ANTI-SCRATCH & ANTI-FOG



Bollé Rush+ Small Safety Glasses

This advanced eye protection adapted to narrow faces was specifically designed for healthcare professionals; its design combines ultimate protection and comfort to help reduce workplace accidents and slow the spread of viruses. Equipped with an anti-scratch and anti-fog coating on both sides of the lenses, RUSH+ SMALL ensures long-lasting comfort, performance and reliability.

The RUSH + conforms to the following standards:

- EN 166
- EN 170
- European standard - CE
- Mechanical risk, low energy impact - F
- Mechanical risk, high speed particles at extreme temperatures T
- Resistance to surface damage by fine particles - K
- Resistance to fogging - N
- Optical class - 1

bollé
SAFETY

White & Blue

4 9 2 1 1 3



TERMS & CONDITIONS

ACCOUNT TERMS

Nett Monthly

V.A.T

Value Added Tax is not included in the price.

PRICES

Prices charged will be those ruling at date of despatch. All goods subject to availability.

CARRIAGE

The Company reserves the right to levy carriage charges for any order to be delivered in emergency circumstances.

RETENTION OF TITLE

All products are at the risk of the Purchaser from the time they are delivered. Title to the goods shall remain with Bunzl UK Limited trading as Lee Brothers ("The Company") and only passes to the Purchaser when full payment for the goods has been received together with full payment of all other amounts owed by the buyer to The Company in respect of any other contracts for the sale of goods. Such payment shall become due immediately upon the commencement of any act or proceeding in which the buyer's solvency is involved. If payment is overdue in whole or in part The Company may (without prejudice to any of its other rights) recover or resell the goods or any of them and may enter upon the buyer's premises by its servants or agents for that purpose. Until The Company is paid in full all monies outstanding the relationship of the buyer to The Company shall be fiduciary in respect of the goods or other goods in which they are incorporated or used and if the same are sold by the buyer The Company shall have the right to trace the proceeds thereof.

NON-DELIVERY

Claims for non-delivery must be made in writing to The Company within 10 days of date of despatch shown on invoice.

DAMAGE OR SHORT DELIVERY

Damage / shortages must be noted on Carrier's Delivery Sheet immediately and notice in writing given to The Company within 3 days of receipt of goods.

RETURN OF GOODS

No goods (other than goods which reach the customers in an unusable condition) may be returned without the prior written consent of The Company. Where The Company consents to such return, the goods must be received from the customer in pristine condition, and the customer agrees to pay an administrative handling charge of 20% of the invoice value of the goods returned. It is our normal practice to replace any merchandise which might reach customers in an unusable condition. No handling charge will be made under these circumstances. It would help if goods which are being returned to us for examination prior to replacement are thoroughly cleaned and adequately packed before despatch.

SPECIFICATION

The customer's attention is specifically drawn to the manufacturers' brochures and safety literature in respect of the correct use and application of products which The Company may supply. The customer shall be wholly responsible for checking that such products are entirely appropriate for the use and application to which they may be put. The specification and description of the goods in our catalogues have been supplied by manufacturers and were correct to the best of The Company's knowledge at the time of going to press. In view of the rights claimed by manufacturers to change specification without notice and whilst all reasonable care is taken to ensure that due notification of such change is given customers are advised to check the exact specification of all goods PRIOR TO ORDER where variations will be material to performance.

LIABILITY (LIMITS & EXCLUSIONS)

Nothing in these terms and conditions of sale shall limit or exclude The Company's liability for: death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable); fraud or fraudulent misrepresentation; breach of the terms implied by section 12 of the Sale of Goods Act 1979; defective products under the Consumer Protection Act 1987; or any matter in respect of which it would be unlawful for us to exclude or restrict liability. In all other cases, The Company shall under no circumstances whatever be liable to the Purchaser, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, or any indirect or consequential loss arising under or in connection with the goods/ services sold; and The Company's total liability to the Purchaser in respect of all other losses arising under or in connection with the goods/ services sold, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed the price paid (or payable) for the goods in question giving rise to the potential claim.

GOVERNING LAW & JURISDICTION

In placing any order the Purchaser confirms it accepts these terms and conditions in full. Any dispute or claim arising out of or in connection with these terms and conditions (including non-contractual disputes or claims) shall be governed by, and construed in accordance with, English law, and the parties irrevocably submit to the exclusive jurisdiction of the courts of England and Wales.

Bunzl UK LTD (trading as Lee Brothers): Registered in England: 2902454 VAT No: 823 8209 32 Registered Office: York House, 45 Seymour Street, London W1H 7JT



Unit 1 Britannia Park
Trident Drive
Wednesbury
West Midlands
WS10 7XB